



NRL Memorandum Report 4154

Nonlinear Equatorial Spread F: Spatially Large **Bubbles Resulting from Large Horizontal Scale Initial Perturbations**

S. T. ZALESAK AND S. L. OSSAKOW

Geophysical and Plasma Dynamics Branch Plasma Physics Division

February 6, 1980



This research was sponsored partially by the Defense Nuclear Agency under Subtask S99QAXHC041, work unit 21 and work unit title Plasma Structure Evolution; and partially by the Office of Naval Research.



NAVAL RESEARCH LABORATORY Washington, D.C.

3

ರಾ

3 3

AD A 08

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER 2. GOVT ACCESSION NO	3. RECIPIENT'S CATALOG NUMBER
NRL Memorandum Report 4154	j
4. TITLE (and Subtitle)	S. TYPE OF REPORT & PERIOD COVERED
NONLINEAR EQUATORIAL SPREAD F: SPATIALLY	Interim report on a continuing
LARGE BUBBLES RESULTING FROM LARGE	NRL problem.
HORIZONTAL SCALE INITIAL PERTURBATIONS	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(e)	B. CONTRACT OR GRANT NUMBER(e)
S. T. Zalesak and S. L. Ossakow	
PERFORMING ORGANIZATION NAME AND AND PERFORMING ORGANIZATION NAME AND AND PRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
Naval Research Laboratory	NRL Problems 67-0889-0-0
Washington, DC 20375	and 67-0883-0-0
	DNA Subtask S99QAXHCO41
I. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE
Defense Nuclear Agency, Washington, DC 20305 and	February 6, 1980
Office of Naval Research, Arlington, VA 22217	13. NUMBER OF PAGES 44
4. MONITORING AGENCY NAME & ADDRESS(II dillerent from Controlling Office)	15. SECURITY CLASS. (of this report)
,	UNCLASSIFIED
	15a. DECLASSIFICATION/DOWNGRADING
6. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.	I
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, If different fro	on Report)
8. SUPPLEMENTARY NOTES	···
This research was sponsored partially by the Defense Nuclear A work unit 21 and work unit title Plasma Structure Evolution; a Research.	
9. KEY WORDS (Continue on reverse side if necessary and identify by block number)	
Nonlinear equatorial spread F	
Spatially large bubbles	
Collisional Rayleigh-Taylor regime	
Numerical simulations	
ABSTRACT (Continue on reverse side if necessary and identify by block number)	ah amatada mad B 66hahbla-17
Motivated by the observations of large horizontal scale leng	

we have performed numerical simulations of the nonlinear evolution of the collisional Rayleigh-Taylor instability in the nighttime equatorial ionosphere, using large horizontal scale length initial perturbations. The calculations were performed using a new, improved numerical code which utilizes the recently developed, fully multidimensional flux-corrected transport (FCT) techniques. We find that large horizontal scale initial perturbations evolve nonlinearly into equally large horizontal scale spread F bubbles, on a time scale as fast as that of the corresponding small horizontal

(Continues)

20. Abstract (Continued)

scale length perturbations previously used. Further, we find the level of plasma depletion inside the large scale bubbles to be appreciably higher than that of the smaller scale bubbles, approaching 100%, in substantial agreement with the observations. This level of depletion is due to the fact that the plasma comprising the large scale bubbles has its origin at much lower altitudes than that comprising the smaller scale bubbles. Analysis of the polarization electric fields produced by the vertically aligned ionospheric irregularities show this effect to be due to fringe fields similar in structure to those produced at the edge of a parallel plate capacitor.

2 La Commence Commence

CONTENTS

I.	INTRODUCTION	l
II.	THEORY	3
III.	NUMERICAL SIMULATION RESULTS AND DISCUSSION	õ
IV.	SUMMARY 13	3
	APPENDIX	5
	ACKNOWLEDGMENT19	•
	REFERENCES)
	DISTRIBUTION LIST	4

SELECTE APR 2 4 1980

ACCES	SION for		
NTIS DDC UNANN JUSTIFI	OUNCED CATION	White Section Buff Section	
BY DISTRIE	UTION/AV	AILABILITY COD	E3
Dist.		and/or SPE	
A			

I. INTRODUCTION

Our previous numerical simulations of the nonlinear evolution of the collisional Rayleigh-Taylor instability in the nighttime equatorial ionosphere (spread F) were confined to small (~ 3km) horizontal scale length initial perturbations and hence to fully developed spread F "bubbles" of approximately the same size in horizontal extent [Scannapieco and Ossakow, 1976; Ossakow et al., 1979], although spatially large vertically. However, observations by McClure et al [1977] also indicate ionospheric ion density "biteouts" of much larger horizontal extent (10 - > 200 km) and greater intensity (ion density depletions up to three orders of magnitude) than indicated by our small scale simulations. Therefore, we have extended our previous calculations and have performed a series of numerical simulations using much larger horizontal length scales (~ 75km) for our initial perturbations. These seed long wavelength perturbations, for example, could be due to neutral atmosphere gravity wave effects [Rottger, 1976; Klostermeyer, 1978; Booker, 1979]. At the same time we have made very substantial improvements in the numerical techniques used to perform the simulations, including the utilization of the recently developed fully multidimensional fluxcorrected transport (FCT) techniques of Zalesak [1979]. The results of our simulations indicate the following:

- 1) large horizontal scale length initial perturbations evolve nonlinearly into large horizontal scale length equatorial spread F "bubbles;"
- 2) these bubbles evolve on approximately the same time scale as do their smaller horizontal scale length counterparts;

Note: Manuscript submitted December 4, 1979.

3) the plasma comprising these bubbles has its origin at much lower altitudes than that of the smaller horizontal scale length bubbles, resulting in plasma density depletions of very close to 100%.

This last result is due to the fact that the polarization fields produced by ionospheric irregularities, aligned vertically, possess a fringe field component whose vertical extent is proportional to the horizontal extent of the irregularities producing the field. This is quite similar in origin to the fringe field produced at the edge of a parallel plate capacitor. Since the vertical extent of this fringe field determines the minimum altitude from which the rising bubble can draw plasma, it is not surprising that larger horizontal scale bubbles are more severely depleted. In Section II we give a brief review of the relevant theory, and of the basic equations used in our simulations. Section III contains the numerical simulations and a physical interpretation of the results is given. Section IV contains a summary, and in the appendix we describe briefly the numerical techniques used in our present computer code, emphasizing the differences between the present code and our previous one.

II. THEORY

The geometry of the physical problem we are modeling is the same as in Ossakow et al. [1979]. All our simulations are carried out in a two dimensional (x,y) coordinate system. The constant magnetic field \underline{B} is aligned along the \hat{z} axis (pointing north). Gravity is directed along the negative \hat{y} axis. Since our equations are two dimensional, n(y), $\nu_R(y)$, and $\nu_{in}(y)$ are taken to be representative values of the ambient electron density, recombination coefficient, and ion-neutral collision frequency (the result of integrating these quantities along magnetic field lines and dividing by a normalizing scale length). Magnetic field lines are assumed to terminate at both ends in an electrically insulated medium (currents must close in the two dimensional plane, not in some distant E region).

Following Ossakow et al. [1979], we describe the system with the two-fluid plasma continuity and momentum equations:

$$\frac{\partial n_{\alpha}}{\partial t} + \nabla \cdot (n_{\alpha \alpha} v) = - v_R n_{\alpha}$$
 (1)

$$\left(\frac{\partial}{\partial t} + \underline{v}_{\alpha} \cdot \nabla\right) \underline{v}_{\alpha} = \frac{q_{\alpha}}{m_{\alpha}} \left(\underline{E} + \frac{\underline{v}_{\alpha} \times \underline{B}}{c}\right) + \underline{g} - v_{\alpha n} (v_{\underline{\alpha}} - \underline{v}_{n}) \quad (2)$$

where the subscript α denotes the species (i for ions, e for electrons), n is the species number density, $\underline{\mathbf{v}}$ is velocity, \mathbf{v}_R is the recombination coefficient, $\underline{\mathbf{E}}$ is the electric field, $\underline{\mathbf{g}}$ is the gravitational acceleration, q is the species charge, $\mathbf{v}_{\alpha n}$ is the species collision frequency with the

neutral atmosphere, $\frac{U}{n}$ is the neutral wind velocity, c is the speed of light, and m is the species mass.

Note that, in contrast to Ossakow et al [1979], we have dropped the term + $v_R^n_{\alpha o}$ from (1). This is the equivalent of dropping the assumption of the existence of an ionization source given by that term. This ionization source was such that the ambient ionization profile $n_{\alpha o}(y)$ was an equilibrium profile $(\partial n_{\alpha o}/\partial t=0)$. Our present model therefore has instead

$$\frac{\partial n}{\partial t} = - v_R n_{\alpha \alpha}$$
 (3)

Hence, when normalized results $n_{\alpha}(x,y)/n_{\alpha o}(y)$ are later presented, it should be understood that both the numerator and denominator are time dependent.

Figure 1 shows the recombination rate ν_R and ion-neutral collision frequency ν_{in} used in our simulations. It shall be seen presently that ν_{en} need not be specified as long as it is much smaller than the electron gyro frequency Ω_e . For details on the form of ν_{in} and ν_R as depicted in Figure 1, see Ossakow et al.[1979]. If we neglect the inertial terms (the left-hand side) of (2) by assuming the inertial time scales are much larger than either the gyro periods or the mean time between collisions, then the equation can be inverted to give an algebraic expressions for $\underline{\nu}_{\alpha}$. In two-dimensional (x,y) geometry with \underline{B} along the \hat{z} axis, the solution is for our problem, with $\underline{m}_e \ll \underline{m}_i$, $\nu_{in}/\Omega_i \ll 1$, $\nu_{en}/\Omega_e = 0$ (where $\Omega_a = eB/m_a c$), and $\underline{U}_n = 0$.

$$\underline{\mathbf{v}}_{\mathbf{e}} = \frac{\mathbf{c}}{\mathbf{B}} \quad \underline{\mathbf{E}} \times \hat{\mathbf{z}}, \quad \hat{\mathbf{z}} = \frac{\underline{\mathbf{B}}}{|\underline{\mathbf{B}}|} \tag{4}$$

$$\underline{\mathbf{v}}_{\mathbf{i}} = (\frac{\underline{\mathbf{g}}}{\Omega_{\mathbf{i}}} + \frac{\mathbf{c}}{B} \quad \underline{\mathbf{E}}) \times \hat{\mathbf{z}} + \frac{\mathbf{v}_{\mathbf{i}n}}{\Omega_{\mathbf{i}}} (\frac{\underline{\mathbf{g}}}{\Omega_{\mathbf{i}}} + \frac{\mathbf{c}}{B} \quad \underline{\mathbf{E}})$$
 (5)

We now make the electrostatic approximation,

$$\underline{\mathbf{E}} = \nabla_{\mathbf{I}} \Phi \tag{6}$$

where $\nabla_{\perp} = \hat{x}(\partial/\partial x) + \hat{y}(\partial/\partial y)$, and the quasi-neutrality approximation $n_e \approx n_i = n$. We then have

$$\nabla_{\perp} \cdot \mathbf{j} = 0 \tag{7}$$

$$\underline{\mathbf{j}} \equiv \operatorname{en} \left(\underline{\mathbf{v}}_{\mathbf{i}} - \underline{\mathbf{v}}_{\mathbf{e}}\right) \tag{8}$$

Substituting (4) and (5) into (8) and evaluating (7), we have for the electrostatic potential:

$$\nabla_{\perp} \cdot (\nu_{\underline{i}\underline{n}} n \nabla_{\perp} \phi) = -\frac{m_{\underline{i}}}{e} g \frac{\partial}{\partial y} (\nu_{\underline{i}\underline{n}} n) - \underline{B} g \frac{\partial n}{\partial x}$$
 (9)

As in Ossakow et al. [1979] we set $\phi = \phi_0 + \phi_1$ where $\nabla_1 \phi_0 = -(m_1 g/e) \hat{y}$. Since $\nabla_1^2 \phi_0 = 0$, our final potential equation becomes

$$\nabla_{\underline{I}} \cdot (\nabla_{\underline{I} n} \ n \ \nabla_{\underline{I}} \phi_{\underline{I}}) = -\frac{\underline{B}\underline{g}}{c} \ \frac{\partial \underline{n}}{\partial x}$$
 (10)

The effect of ϕ_0 is merely to superimpose a bulk westward plasma velocity g/Ω_1 on the electron velocity field determined from ϕ_1 , without affecting the morphology of the developing structures. Hence, we ignore this motion.

Our assumption of quasi-neutrality has made one of our two continuity equations (1) redundant. We therefore choose the electron equation for its simplicity:

$$\frac{\partial n}{\partial t} - \frac{\partial}{\partial x} \left(\frac{nc}{B} \frac{\partial \phi_1}{\partial y} \right) + \frac{\partial}{\partial y} \left(\frac{nc}{B} \frac{\partial \phi_1}{\partial x} \right) = -v_R n$$
 (11)

III. NUMERICAL SIMULATION RESULTS AND DISCUSSION

Equations (10) and (11), together with appropriate boundary conditions, constitute the nonlinear system of equations we shall solve numerically. Note that in contrast to Ossakow et al. [1979], we have chosen not to put the equations into a normalized form by dividing through by $n_0(y)$. The numerical techniques used to solve these equations are discussed in the appendix.

The numerical calculations to be presented were performed on a two-dimensional cartesian (x,y) mesh using 42 points in the x (east-west) direction, and 142 points in the y (vertical) direction. The (uniform) grid spacing was 2km in the y direction for all calculations. The grid spacing in the x direction was 200m in the "small" horizontal scale length cases and 5km in the "large" cases. The bottom of the grid corresponds to 252km altitude and the top of the grid to 534km altitude in all simulations. Periodic boundary con-

ditions were imposed on both n and ϕ_1 in the x-direction. In the y direction transmittive boundary conditions were imposed on $n(\partial n/\partial y=0)$ and Neumann $(\partial \phi_1/\partial y=0)$ boundary conditions were imposed on ϕ_1 .

Three kinds of plots will be presented: (1) contours of constant n(x,y,t); (2) contours of constant $n(x,y,t)/n_0(y,t)$; and (3) contours of constant electrostatic potential ϕ_1 . Superimposed on each contour plot is a dashed line depicting $n_0(y,t)$ for reference purposes. Our $n_0(y,0)$ profile is such that the F2 peak is located at 434km altitude, and the minimum electron density scale length $L = n_0(\partial n_0/\partial y)^{-1}$ is 10km. The simulations are all identical except for the east-west grid spacing Δ_X and the form of the initial perturbation. Two kinds of initial perturbations were used:

Perturbation A:
$$\begin{cases} \frac{n(x,y,0)}{n_{o}(y,0)} = 1 - e^{-3} \cos\left(\frac{\pi x}{8\Delta x}\right), & 0 \le |x| \le 8\Delta x \\ \frac{n(x,y,0)}{n_{o}(y,0)} = 1 - e^{-3} \frac{1}{2} \left[\cos\left(\frac{\pi x}{8\Delta x}\right) - 1\right], \\ 8 \Delta x \le |x| \le 16\Delta x \end{cases}$$
$$\frac{n(x,y,0)}{n_{o}(y,0)} = 1, \quad |x| > 16 \Delta x \tag{12}$$

Perturbation B:
$$\frac{n(x,y,0)}{n_0(y,0)} = 1 - e^{-3} \cos\left(\frac{\pi x}{20\Delta x}\right)$$
 (13)

Perturbation A is exactly the form used in Ossakow et al. [1979], and perturbation B is a pure sine wave of wavelength 40 Δx (our system length in the x direction). Both represent maximum initial perturbation amplitudes of approximately 5%. Four simulations have been run: (i) 1S-Perturbation A with $\Delta x = 200 \text{m}$; (ii) 1L-Perturbation A with $\Delta x = 5 \text{km}$; (iii) 2S-Perturbation B with $\Delta x = 200 \text{ m}$; and (iv) 2L-Perturbation B with $\Delta x = 5 \text{km}$. Calculation 1S above is identical to ESF III of Ossakow et al. [1979]. The "large" versus "small" comparison obviously involves comparing calculation 1S to calculation 1L, and calculation 2S to calculation 2L. One notes that for the minimum L \approx 10km in our simulation, kL > 1 for the 1S and 2S cases and kL < 1 for the 1L and 2L cases.

Figure 2 shows isodensity contours of calculation 1S at times 300, 700, 1000, and 1200 seconds after initialization. Figure 3 shows the same contours at the same times but for calculation 1L. The presence of much lower density fluid in the bubble in calculation 1L is obvious. Also obvious is a basic difference in the bubble morphology at late times. At 1200 seconds, 1S has pinched off into two bubbles, with the more intense one below the initial central bubble. In addition, another bubble has formed in the sides of the calculation. These structures are more obvious in the plot of $n(x,y)/n_0(y)$ at 1200 seconds for 1S shown in Fig. 4a. The maximum depletion levels are 70% in the top central bubble,97% in the lower central bubble, and 95% in the side bubble. Note that here and in all subsequent plots of $(n,x,z)/n_0(z)$ the contour plotting is such that the first

(outer) depletion contour n/n_0 is 0.5 and each succeeding inner contour is 0.5 times the previous one. For example, the lower bubble in Fig. 4a has five contours. The outermost would have $n/n_0 = 0.50$ (50% depletion), the next inner one $n/n_0 = 0.25$ (75% depletion), the second inner one $n/n_0 = 0.125$ (87.5% depletion) and the innermost $n/n_0 = 0.03$ (97% depletion). For the enhancement contours (dashed lines) the first outer contour is 2.0 and the succeeding inner ones are 2.0 times the previous ones. In obtaining percentage enhancements and depletions one then subtracts 1.0.

Calculation 1L, on the other hand, shows a single plume of depleted ionization at 1200 seconds, with no secondary central bubble and no side bubble. There also is no indication of a widening of the top of the bubble, as there is in 1S. In Fig. 4b we show a plot of $n(x,y)/n_0(y)$ for 1L at 1200 sec. The level of depletion is greater than 99.9% for the entire 10km by 70km oval "hole" located inside the tenth solid contour of Fig. 4b and represents at least a three order of magnitude decrease (biteout) in plasma density.

We now repeat the above comparison, but this time for perturbation B (calculations 2S and 2L). Figure 5 shows isodensity contours of calculation 2S at times 300, 700, 1000, and 1091 seconds after initialization; while Figure 6 shows similar plots of calculation 2L at times 700, 1000, 1200 and 1364 sec. Comparison again shows the presence of much lower density plasma in the bubble in the 2L calculation. Morphological differences are also present, the most notable being the widening of the top of the bubble in 2S

which is not present in 2L. Figure 7 shows a comparison of the n/n_0 profiles at late time. Again maximum depletions in the 2S case are about 97%, while a large portion of the 2L plume is 99.9% depleted or greater.

We can also compare the effect of the form of the perturbation by comparing 1S to 2S and 1L to 2L. The latter comparison shows striking similarity, whereas the former shows some differences, the most notable being the lack of central bubble "pinching" and the lack of lateral bubbles in case 2S. We conclude that the morphology of the late-time bubbles is dependent, at least somewhat, on the form of the initial perturbation.

Bubble rise velocities are of some interest, and we give below the average bubble rise velocity for each case, computed from the last two frames of Figs. 2, 3, 5, and 6:

18	210 m/sec
1L	230 m/sec
2S	420 m/sec
2L	280 m/sec

The rise velocity of an individual bubble is dependent upon the relative depletion level of the bubble, its geometry, and upon interactions with other plasma structure nearby. These first two effects are treated in <u>Ossakow and Chaturvedi</u> [1978], and the present results above are consistent with the results therein. For instance, the relatively high

rise velocity associated with 2S is seen to be due to the fact that the bubble is more severely depleted than that in 1S. Further, the roughly equal rise velocities of the 1S, 1L, and 2L bubbles, in spite of the fact that the 1L and 2L bubbles are much more severely depleted than that in 1S, is explained by noting that 1S actually approximates the geometry of a "sheet" of depleted plasma, whereas the 1L and 2L bubbles more closely resemble a cylindrical geometry (see Ossakow and Chaturvedi [1978]).

In an attempt to understand the reasons for the differences in the nonlinear evolution of small and large horizontal scale perturbations, we look at the potential equation:

$$\nabla^2 \phi_1 + \frac{\nabla(\nu_{in}^n)}{\nu_{in}^n} \cdot \nabla \phi_1 = \frac{-Bg}{c \nu_{in}} \frac{1}{n} \frac{\partial n}{\partial x}$$

At early times we expect $\nabla \phi_1$ to be small with respect to $\underline{Bg}/c\nu_{in}$, so we ignore the second term on the left hand side, giving a Poisson equation for ϕ_1 :

$$\nabla^2 \phi_1 = -\frac{Bg}{cv_{in}} \frac{1}{n} \frac{\partial n}{\partial x}$$

We can now interpret the right hand side as simply the local charge density ρ (such that $\nabla \cdot \underline{E} = \rho$). Since we have initialized all of these calculations with $\frac{1}{n} = \frac{\partial n}{\partial x}$ independent of y (see (12)), what we are dealing with is a distribution of charge density that has the form of diffuse "plates" aligned in the vertical direction. Noting that the

term v_{in} decreases with altitude, we find that these diffuse "plates" have an equally diffuse "edge" in the y direction. Taking the analogy to its conclusion, we model our initial conditions, or any vertically aligned structure for that matter, as an array of plates of charge (non-conducting capacitor plates) with an edge somewhere in or above our grid. In Figure 8 we show schematically the electric potential field surrounding the edge of parallel plates of charge for two different separation distances. Since there is only one scale length in the configuration (the plate separation distance d), then all other scale lengths must be proportional to this distance. In particular, the characteristic distance parallel to the plates over which the electric field outside the plates (the fringe field) falls off must be proportional to d. Since in our problem the contours of electrostatic potential are in fact streamlines (see (11)), this distance will determine the maximum depth in the fluid from which the electrostatic field will draw fluid into the bubble. Since the plasma density is lower at greater depths, this distance will determine the minimum plasma density inside the bubble. To test these ideas, we examine the actual early time electrostatic potential fields from the calculations we have presented. Fig. 9 shows contours of n and ϕ_1 for the 1S initial conditions, and the same plots for 1L. A similar comparison for cases 2S and 2L is shown in Fig. 10. All contour plots of ϕ_1 are scaled in such a way as to evenly space exactly 12 contour lines between the maximum and minimum value of ϕ_1 , to normalize the plots so they can be compared without bias. The increased vertical extent of the contours of ϕ_1 (streamlines) for

cases 1L and 2L are evident.

Of course, the initial profile generating these aligned plates of charge lasts only a short time. In the linear phase of growth, the perturbation grows in the region of linear instability (the F region bottomside), and damps elsewhere. Our "plates" therefore very quickly become horizontally spaced regions of charge with a limited vertical extent, confined to the region of steepest vertical gradient on the F region bottomside. Nonetheless, the scaling arguments advanced above still hold: the vertical extent of the polarization electric field scales as the horizontal extent of the structure causing the field. This is easily seen in Figure 11 and 12 where comparison is made of the ϕ_1 contours for 1S vs 1L and 2S vs 2L respectively, at a time of 700 sec. Cases 1S and 2S are seen to be mixing fluid over a fairly narrow altitude range, while 1L and 2L have each formed a large convective cell more than 150km in vertical extent, drawing plasma fluid into the bubble from deep in the ionosphere. It is not surprising, then, that the larger horizontal scale bubbles are more severely depleted at late times.

IV. SUMMARY

On the basis of our numerical simulations, and of a qualitative scale analysis of the driving electrostatic potential equation, we conclude that the severe "biteouts" of three orders of magnitude and bubble rise velocities of 150 m/sec reported by McClure et al [1977] are completely consistent with large (~75-200km) horizontal bubble

size scales. In our simulations, the severe biteouts associated with large horizontal scale lengths are due to the fact that the plasma comprising these bubbles has its origin at much lower altitudes then in the small horizontal length scale cases. Again, these results are consistent with those of McClure et al. [1977], who base their conclusions on ion mass spectrometer measurements of the $H^+ - 0^+ - N^+$ balance inside the bubbles, which they find to be "tharacteristic of undisturbed plasma found at lower altitudes." The variation in the vertical velocities of various bubbles noted by McClure et al. [1977] is probably due to interactions between bubbles. Note, for example, that in Fig. 2, the secondary bubble is rising at a much slower rate than is the central bubble. Bubble interaction will be the subject of forthcoming theoretical and numerical studies.

APPENDIX: Numerical Solution of the Equations

Of the two partial differential equations we must solve, (10) is elliptic and linear and (11) is hyperbolic and nonlinear. Both equations represent numerical challenges, and we could easily devote the bulk of this paper to the numerical techniques used for their solution. However, as we stated in the introduction, we shall confine ourselves to the improvements made in these techniques since the calculations of Ossakow et al. [1979]. We begin with (11).

Equation (11) is solved in finite difference form using a fully multidimensional second order in time, fourth order in space, leapfrog-trapezoidal flux-corrected transport (FCT) scheme. Both the higher order leapfrog-trapezoidal scheme itself, as well as the fully multidimensional algorithm utilized in the critical flux-limiting stage of FCT, are recent developments and are described by Zalesak [1979]. These developments represent significant extensions of the theory of FCT, a numerical technique originated by Boris and Book [1973] to handle equations of the form (11) where steep gradients are expected for form. By contrast, the calculations in Ossakow et al. [1979] used a first order in time, second order in space FCT algorithm which was only one-dimensional (since fully multidimensional FCT algorithms did not exist at the time), and hence used time-splitting (sequential x and y operators) to solve the two-dimensional equation (11). It is known that time-splitting can introduce numerical

problems into an incompressible flow calculation (see Zalesak, 1979), although our previous equatorial spread F calculations did not exhibit any of the symptoms of these difficulties.

Equation (10) is the elliptic equation whose solution gives us the electrostatic potential ϕ_1 . The right hand side is known and the left hand side represents a Hermitian operator operating on ϕ_1 , giving only real eigenvalues and apparently easing the difficulty of solution. However, the extremely large range for the values of the quantity ν_{in} n makes for an equally large span of operator eigenvalues, and solution of the equation in this form using iterative techniques has not been successful. We have found one (and only one) method of direct solution, the stabilized error vector propagation (SEVP) method of Madala [1978], but the execution speeds for SEVP are not as favorable as for the method we now describe.

We start by expanding the operator and dividing through by v_{in} n, as was done by Ossakow et al. [1979], giving

$$\nabla_{\perp}^{2} \phi_{1} + \frac{\nabla(\nu_{in}^{n})}{\nu_{in}^{n}} \cdot \nabla_{\perp} \phi_{1} = -\frac{Bg}{c} \frac{1}{\nu_{in}^{n}} \frac{\partial n}{\partial x}$$
 (A-1)

The equation is now in a form suitable for solution by the Chebycheviterative relaxation technique of McDonald [1977]. However, great care must be given to the differencing of the term $\frac{1}{\nu_{in}^n} \nabla(\nu_{in}^n)$ and $\frac{1}{n} \frac{\partial n}{\partial x}$, and this is the point we wish to address. We work with the term $\frac{1}{n} \frac{\partial n}{\partial x}$ in one spatial dimension, since this example will make the point. A straightforward second-order difference form for this term is

$$\left(\frac{1}{n}\frac{\partial n}{\partial x}\right)_{i} = \frac{1}{2\Delta x} \frac{n_{i+1}^{-n}i-1}{n_{i}}$$
 (A-2)

where the subscript i refers to grid point location in the x direction and Δx is the (uniform) spacing between grid points. This is the form used in Ossakow et al. [1979]. We shall show that this difference form produces solutions ϕ_1 with potentially undesirable properties, and causes undue numerical hardship in finding those solutions.

Let us rewrite $\frac{1}{n} = \frac{\partial n}{\partial x}$ as $\frac{\partial}{\partial x}$ (ln n). A physical interpretation of the term is now much easier: the term tells us how rapidly the logarithm of n is varying with respect to x. Suppose, for argument's sake, that the smallest and largest values of n in the problem are 10^1 and 10^5 respectively. On a grid of size Δx , the largest value representable for that term would occur when a fluid element of density 10¹ and one of density 10⁵ occupy adjacent grid points. The value of $\frac{\partial}{\partial x}$ (ln n) evaluated midway between these two grid points would be $\frac{1}{\Delta x}$ ($\ln 10^5 - \ln 10^1$) = 9.2 Δx^{-1} . Evaluation of (A-2) for n_{i-1}, n_i , and n_{i+1} having values of 10^1 , 10^1 , and 10^5 respectively gives a value for $(\frac{1}{n} \frac{\partial n}{\partial x})_{i}$ of 5 x 10⁴ Δx^{-1} , far in excess of the maximum value for this term given by the above argument. Logarithmic interpretation of this term would state that n varied by more than 10⁴ orders of magnitude over a single grid spacing, a ridiculous statement in light of the fact that there are only four orders of magnitude of n in the problem.

The potentially large values of these terms, in particular of the term $\frac{1}{\nu_{in}} \nabla_{i}(\nu_{in})$ in (A-1), not only cause extremely slow convergence of the iterative solution, but can also put **spurious** oscillations into the exact finite difference solution ϕ_1 due to cell Reynolds number effects [Roache, 1976]. As shown by Roache [1976] these oscillations can occur any time the value of the term $\frac{1}{\nu_{in}} \nabla_{i} (\nu_{in})$ in (A-1) exceeds a critical value of $2 \Delta x^{-1}$. It is clear, then, that (A-2) represents an undesirable difference form for these logarithmic terms. Better approximations are

$$\left(\frac{1}{n} \frac{\partial n}{\partial z}\right)_{i} = \frac{1}{2\Delta x} \left(\ln n_{i+1} - \ln n_{i-1}\right) \tag{A-3}$$

and
$$\left(\frac{1}{n} \frac{\partial n}{\partial x}\right)_{i} = \frac{1}{\Delta x} \frac{n_{i+1} - n_{i-1}}{n_{i+1} + n_{i-1}}$$
 (A-4)

Equation (A-3) is probably the most accurate, but evaluation of the logarithms at every time step is computationally expensive, and for problems like the one at hand where n varies by many orders of magnitude across the grid, there is still no guarantee that the critical cell Reynolds number will not be exceeded. For these reasons we use (A-4) for the present calculations.

Acknowledgement

 $\label{eq:continuous_problem} \mbox{This work was supported by the Defense Nuclear Agency} \\ \mbox{and the Office of Naval Research.}$

References

- Booker, H. G., The role of acoustic gravity waves in the generation of spread-F and ionospheric scintillation, <u>J. Atmos. Terr. Phys.</u>, 41, 501, 1979.
 - Boris, J. P., and D. L. Book, Flux-corrected transport, I,

 Shasta, a transport algorithm that works, <u>J. Comp. Phys.</u>,

 11, 38, 1973.
 - Klostermeyer, J., Nonlinear investigation of the spatial resonance effect in the nighttime equatorial F region, <u>J. Geophys. Res.</u>, 83, 3753, 1978.
 - Madala, R. V., An efficient direct solver for separable and non-separable elliptic equations, <u>Monthly Weather Rev.</u>, <u>106</u>, 1735, 1978.
 - McClure, J. P., W. B. Hanson, and J. H. Hoffman, Plasma bubbles and irregularities in the equatorial ionosphere, <u>J. Geophys. Res.</u>, 82, 2650, 1977.
 - McDonald, B. E., Explicit Chebychev-iterative solution of nonself-adjoint elliptic equations on a vector computer NRL Memo Rep. 3541, Nav. Res. Lab., Washington, D. C., June, 1977.
 - Ossakow, S. L. and Chaturvedi, P. K., Morphological studies of rising equatorial spread F bubbles, <u>J. Geophys. Res.</u>, <u>83</u>, 2085, 1978.

- Ossakow, S. L., S. T. Zalesak, B. E. McDonald, and P. K. Chaturvedi,

 Nonlinear equatorial spread F: Dependence on altitude of the

 F peak and bottomside background electron density gradient scale

 length, J. Geophys. Res., 84, 17, 1979.
- Roache, P.J., <u>Computational Fluid Dynamics</u>, Hermosa Publishers, Albuquerque, N. M., 1976
- Rottger, J., The macro-scale structure of equatorial spread-F irregularities, J. Atmos. Terr. Phys., 38, 97, 1976.
- Scannapieco, A. J., and S. L. Ossakow, Nonlinear equatorial spread-F, Geophys. Res. Lett., 3, 451, 1976.
- Zalesak, S. T., Fully multidimensional flux-corrected transport algorithms for fluids, <u>J. Comput. Phys.</u>, <u>31</u>, 335, 1979.




Fig. 1 - The ion-neutral collision frequency $^{V}_{1n}$ and recombination rate $^{V}_{R}$ (as a function of altitude) used in the numerical simulations




Fig. 2 - Sequence of four plots showing iso-electron density contours of calculation 1S at 300, 700, 1000, and 1200 sec. Superimposed on each plot is a dashed line depicting $n_0(z,t)$. Electron densities are given in cm⁻³. The observer is looking southward.





Fig. 3 - Same as Fig. 2 but for calculation 1L



;;

ing contour is for a value of n/n_0 a factor of 0.5 times the previous one. The first enhance-Depletions $(n/n_0 < 1)$ are shown in solid lines while enhancements $(n/n_0 > 1)$ are shown as short (outermost) depletion contour is for $n/n_0 = 0.5$, while each suceedment contour is for $n/n_0 = 2.0$, while each succeeding contour is for a value of n/n_0 a factor Fig. 4 - Contours of constant $n(x,y,t)/n_0(z,t)$ for a) IS at 1200 sec and b) IL at 1200 sec. The superimposed long dashed line depicts $n_O(z,t)$. of 2.0 times the previous one. dashed lines.

225




Fig. 5 - Same as Fig. 2 but for calculation 2S at 300, 700, 1000, and 1091 sec.








Fig. 6 - Same as Fig. 5 but for calculation 2L at 700, 1000, 1200, and 1364 sec.





portional to the contour spacing, we have, in effect, normalized each plot to the maximum elecformly from maximum to minimum potential. Since the electric field magnitude is inversely proeach plot, except that the zero potential (which would just be a vertical line) is not plotted. In each case the contours are chosen to space the twelve contours (plus the zero contour) unitric field found between the plates. This facilitates the comparison of the rate at which the Fig. 8 - Schematic representation of contours of constant electrostatic potential produced at The much more rapid falloff in a) the edge of non-conducting parallel plates of charge for two different plate separation disa) 0.5 km and b) 1.0 km. Dashed lines are for negative potentials and solid lines are for positive potentials. The potential drop across adjacent contours is a constant in electric field falls off away from the edge of the plates. is evident. tances:










Figure 9(d)

Fig. 9 - Iso-electron density plots at t=0 for 1S (a) and 1L(c). Also shown are the corresponding contours of constant induced electrostatic potential in (b) and (d) respectively. For the plots of electrostatic potential, the comments from Fig. 8 apply. Since the contours of constant potential are in fact flow streamlines, more contours from lower altitudes is being drawn upward in the 1L case than in the 1S case.




Fig. 10 - Same as Fig. 9 but for cases 2S and 2L




Fig. 11 - Contours of constant electrostatic potential at 700 sec for (a) calculation IS and (b) calculation 1L. Comments from Fig. 8 and Fig. 9 apply.

322

ALTITUDE (KH)

534

;




Fig. 12 - Same as Fig. 11 but for (a) calculation 2S and (b) calculation 2L.

322

ALTITUDE (KH)

-L 33

+63

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

ASSISTANT SECRETARY OF DEFENSE COMM, CMD, CONT & INTELL WASHINGTON, D.C. 20301 01CY ATTN J. BABCOCK 01CY ATTN M. EPSTEIN

ASSISTANT TO THE SECRETARY OF DEFENSE ATOMIC ENERGY
WASHINGTON, D.C. 20301
01CY ATTN EXECUTIVE ASSISTANT

DIRECTOR COMMAND CONTROL TECHNICAL CENTER
PENTAGON RM BE 685
WASHINGTON, D.C. 20301
01CY ATTN C-650
01CY ATTN C-312 R. MASON

DIRECTOR DEFENSE ADVANCED RSCH PROJ AGENCY ARCHITECT BUILDING ARCHITECT BUDG.

ARLINGTON, VA. 22209

OICY ATTN NUCLEAR MONITORING RESEARCH
OICY ATTN STRATEGIC TECH OFFICE

DEFENSE COMMUNICATION ENGINEER CENTER 1860 WIEHLE AVENUE

RESTON, VA. 22090
01CY ATTN CODE R820
01CY ATTN CODE R810
01CY ATTN CODE R720 J. WORTHINGTON

DIRECTOR DEFENSE COMMUNICATIONS AGENCY WASHINGTON, D.C. 20305 (ADR CNWDI: ATTN CODE 240 FOR)

OICY ATTN CODE 1018

DEFENSE DOCUMENTATION CENTER CAMERON STATION
ALEXANDRIA, VA. 22314
(12 COPIES IF OPEN PUBLICATION, OTHERWISE 2 COPIES)

DIRECTOR DIRECTOR
DEFENSE INTELLIGENCE AGENCY
WASHINGTON, D.C. 20301
01CY ATTN DT-1B
01CY ATTN DB-4C E. O'FARRELL
01CY ATTN DIAAP A. WISE
01CY ATTN DIAST-5

OICY ATTN DT-1BZ R. MORTON
OICY ATTN MQ-TR J. STEWART
OICY ATTN W. WITTIG DC-7D DIRECTOR DEFENSE NUCLEAR AGENCY

DEFENSE NUCLEAR AGENCY
WASHINGTON, D.C. 20305
OICY ATTN STVL
OMCY ATTN TITL
OICY ATTN DOST
O3CY ATTN RAME

COMMANDER FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND AFB, NM 87115
01CY ATTN FCPR

DIRECTOR INTERSERVICE NUCLEAR MEAPONS SCHOOL KIRTLAND AFB, NM 87115 01CY ATTN DOCUMENT CONTROL

JOINT CHIEFS OF STAFF WASHINGTON, D.C. 20301 01CY ATTN J-3 WWMCCS EVALUATION OFFICE

JOINT STRAT TGT PLANNING STAFF OFFUTT AFB OMAMA, NB 68113 O1CY ATTN JLTH-2 O1CY ATTN JPST G. GOETZ

CHIEF LIVERMORE DIVISION FLD COMMAND DNA DEPARTMENT OF DEFENSE LAWRENCE LIVERMORE LABORATORY P. O. BOX 808 LIVERMORE, CA 94550 01CY ATTN FCPRL

DIRECTOR NATIONAL SECURITY AGENCY DEPARTMENT OF DEFENSE FT. GEORGE G. MEADE, MD 20755 01CY ATTN JOHN SKILLMAN R52 01CY ATTN FRANK LEOMARD 01CY ATTN W14 PAT CLARK 01CY ATTN OLIVER H. BARTLETT W32 01CY ATTN R5

COMMANDANT NATO SCHOOL (SHAPE) APO NEW YORK 89172 BICY ATTN U.S. DOCUMENTS OFFICER

UNDER SECY OF DEF FOR RSCH & ENGRG DEPARTMENT OF DEFENSE WASHINGTON, D.C. 20301 01CY ATTN STRATEGIC & SPACE SYSTEMS (OS)

WWMCCS SYSTEM ENGINEERING ORG WASHINGTON, D.C. 20305 01CY ATTN R. CRAWFORD

DIRECTOR

COMMANDER/DIRECTOR ATMOSPHERIC SCIENCES LABORATORY U.S. ARMY ELECTRONICS COMMAND
WHITE SANDS MISSILE RANGE, NM 88002
01CY ATTN DELAS-EO F. NILES

BMD ADVANCED TECH CTR HUNTSVILLE OFFICE P. O. BOX 1500 P. O. BOX 1500
HUNTSVILLE, AL 35807
01CY ATTN ATC-T MELVIN T. CAPPS
01CY ATTN ATC-D W. DAVIES
01CY ATTN ATC-R DON RUSS

PROGRAM MANAGER BMD PROGRAM OFFICE 5001 EISEN-OHER AVENUE ALEXANDRIA, VA 22333 01CY ATTN DACS-BMT J. SHEA

CHIEF C-E SERVICES DIVISION U.S. ARMY COMMUNICATIONS CMD WASHINGTON, D.C. 20310 01CY ATTN C-E-SERVICES DIVISION

COMMANDER
FRADCOM TECHNICAL SUPPORT ACTIVITY
DEPARTMENT OF THE ARMY
FORT MONMOUTH, N.J. 07703
01CY ATTN DRSEL-NL-RD H. BENNET
01CY ATTN DRSEL-PL-ENV H. BOMKE
01CY ATTN J. E. QUIGLEY

COMMANDER HARRY DIAMOND LABORATORIES DEPARTMENT OF THE ARMY

DEPARTMENT OF THE ARMY
2800 POWDER MILL ROAD

ADELPHI, MD 20783

(CNMDI-INNER ENVELOPE: ATTN: DELMD-RBH)

01CY ATTN DELMD-TI M. WEINER

01CY ATTN DELMD-RB R. WILLIAMS
01CY ATTN DELMD-NP F. WIMENITZ
01CY ATTN DELMD-NP C. MOAZED

COMMANDER
U.S. ARMY COMM-ELEC ENGRG INSTAL AGY FT. HUACHUCA, AZ 85613

DICY ATTN CCC-EMED GEORGE LANE

COMMANDER
U.S. ARMY FOREIGN SCIENCE & TECH CTR 220 7TH STREET, NE
CHARLOTTESVILLE, VA 22901
OICY ATTN DRXST-SD
OICY ATTN R. JONES

COMMANDER COMMANDER
U.S. ARMY MATERIEL DEV & READINESS CMD
5001 EISENHOWER AVENUE
ALEXANDRIA, VA 22333
01CY ATTN DRCLDC J. A. BENDER

COMMANDER U.S. ARMY NUCLEAR AND CHEMICAL AGENCY 7500 BACKLICK ROAD BLDG 2073 SPRINGFIELD, VA 22150 01CY ATTN LIBRARY

U.S. ARMY BALLISTIC RESEARCH LABS
ABERDEEN PROVING GROUND, MD 21005
01CY ATTN TECH LIB EDWARD BAICY

COMMANDER U.S. ARMY SATCOM AGENCY FT. MONMOUTH, NJ 07703 01CY ATTN DOCUMENT CONTROL

U.S. ARMY MISSILE INTELLIGENCE AGENCY REDSTONE ARSENAL, AL 35809 OICY ATTN JIM GAMBLE

DIRECTOR
U.S. ARMY TRADOC SYSTEMS ANALYSIS ACTIVITY WHITE SANDS MISSILE RANGE, NM 88002 OLCY ATTN ATAA-SA OLCY ATTN TCC/F. PAYAN JR. OLCY ATTN ATAA-TAC LTC J. MESSE

COMMANDER NAVAL ELECTRONIC SYSTEMS COMMAND NAVAL ELECTRONIC STSTEMS COMMAND
WASHINGTON, D.C. 20360
01CY ATTN NAVALEX 034 T. HUGHES
01CY ATTN PME 117
11CY ATTN CODE 5011

COMMANDING OFFICER COMMANDING OFFICER
NAVAL INTELLIGENCE SUPPORT CTR
4301 SUITLAND ROAD, BLDG. 5
WASHINGTON, D.C. 20390
01CY ATTN MR. DUBBIN STIC 12
01CY ATTN NISC-50
01CY ATTN CODE 5404 J. GALET COMMANDER NAVAL SURFACE WEAPONS CENTER DAHLGREN LABORATORY
DAHLGREN, VA 22448
OICY ATTN CODE DF-14 R. BUTLER

COMMANDING UFFICER
NAVY SPACE SYSTEMS ACTIVITY
P.O. BOX 92960
WORLDWAY POSTAL CENTER
LOS ANGELES, CA. 90009 OLCY ATTN CODE 52

OFFICE OF NAVAL RESEARCH
ARLINGTON, VA 22217
01CY ATTN CODE 465
01CY ATTN CODE 461
01CY ATTN CODE 420
01CY ATTN CODE 420
01CY ATTN CODE 421

COMMANDER COMMANDER
AEROSPACE DEFENSE COMMAND/DC
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
01CY ATTN DC MR. LONG

COMMANDER
AEROSPACE DEFENSE COMMAND/XPD
DEPARTMENT OF THE AIR FORCE
ENT AFB, CO 80912
01CY ATTN XPDQQ
01CY ATTN XP

AIR FORCE GEOPHYSICS LABORATORY

MANSCOM AFB, MA 01731

01CY ATTN OPR HAROLD GARDNER
01CY ATTN OPR-1 JAMES C. ULWICK
01CY ATTN LKB KENNETH S. W. CHAMPION
01CY ATTN OPR ALVA T. STAIR
01CY ATTN PHP JULES AARONS
01CY ATTN PHD JURGEN BUCHAU
01CY ATTN PHD JOHN P. MULLEN

AF WEAPONS LABORATORY AF WEAPONS LABORATORY
KIRTLAND AFB, MM 87117

OLCY ATTN SUL
OLCY ATTN DCC CAPT J. BARRY
OLCY ATTN DYC JOHN M. KAMM
OLCY ATTN DYT CAPT MARK A. FRY
OLCY ATTN DYT CAPT MARK A. FRY
OLCY ATTN DES MAJ GARY GANONG
OLCY ATTN DCC J. JANNI

PATRICK AFB, FL 32925 OLCY ATTN TF/MAJ WILEY OLCY ATTN TN

AIR FORCE AVIONICS LABORATORY
WRIGHT-PATTERSON AFB, OH 45433
OICY ATTN AAD WADE HUNT
OICY ATTN AAD ALLEN JOHNSON

DEPUTY CHIEF OF STAFF DEPUTY CHIEF OF STAFF RESEARCH, DEVELOPMENT, & ACQ DEPARTMENT OF THE AIR FORCE WASHINGTON, D.C. 20330 01CY ATTN AFROQ

HEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/XR
DEPARTMENT OF THE AIR FORCE
HANSOOM AFB, MA 01731
OICY ATTN XR J. DEAS

HEADQUARTERS MEADQUARTERS
ELECTRONIC SYSTEMS DIVISION/YSEA
DEPARTMENT OF THE AIR FORCE
HANSCOM AFB, MA 01731
01CY ATTN YSEA

- SAN No. BOLLEGE

COMMANDER NAVAL OCEAN SYSTEMS CENTER SAN DIEGO, CA 92152 03CY ATTN CODE 532 W. MOLER DICY ATTN CODE 0230 C. BAGGETT 01CY ATTN CODE 81 R. EASTMAN	STRATEGIC AIR COMMAND, XPFS OFFUTT AFB, NB 60113 O1CY ATTN XPFS MAU B. STEPHAN O1CY ATTN ADMATE MAU BRUCE BAUER O1CY ATTN NRT O1CY ATTN DOK CHIEF SCIENTIST
DIRECTOR NAVAL RESEARCH LABORATORY WASHINGTON, J.C. 20375 DICY ATTN CODE 5700 TIMOTHY P. COFFEY L25 CYS IF UNCLASS, 1 CY IF CLASS) DICY ATTN CODE 6701 JACK D. BROWN DICY ATTN CODE 6780 BRANCH HEAD (150 CYS IF UNCLASS, 1 CY IF CLASS) LICY ATTN CODE 7500 HQ COMM DIR BRUCE WALD DICY ATTN CODE 7550 J. DAVIS DICY ATTN CODE 7580 DICY ATTN CODE 7580	SAMSO/YA P. O. BOX 92960 WORLDWAY POSTAL CENTER LOS ANGELES, CA 90009 OICY ATTN YAT CAPT L. BLACKWELDER SAMSO/SK P. O. BOX 92960 WORLDWAY POSTAL CENTER LOS ANGELES, CA 90009 OICY ATTN SKA (SPACE COMM SYSTEMS) M. CLAVIN SAMSO/MN
OLCY ATTN CODE 7555 OLCY ATTN CODE 6730 E. MCLEAN OLCY ATTN CODE 7127 C. JOHNSON	NORTON AFB, CA 92409 (MINUTEMAN) 01CY ATTN MNNL LTC KENNEDY
COMMANDER NAVAL SEA SYSTEMS COMMAND WASHINGTON, D.C. 20362 OICY ATTN CAPT R. PITKIN	COMMANDER ROME AIR DEVELOPMENT CENTER, AFSC HANSCOM AFB, MA 01731 01CY ATTN EEP A. LORENTZEN
COMMANDER NAVAL SPACE SURVEILLANCE SYSTEM DAHLGREN, VA 22448 OICY ATTN. CAPT J. H. BURTON	DEPARTMENT OF ENERGY
OFFICER-IN-CHARGE NAVAL SURFACE WEAPONS CENTER WHITE OAK, SILVER SPRING, MD 20910 01CY ATTN CODE F31	DEPARTMENT OF ENERGY ALBUQUERQUE OPERATIONS OFFICE P. O. BOX 5400 ALBUQUERQUE, NM 87115 01CY ATTN DOC CON FOR D. SHERWOOD
DIRECTOR STRATEGIC SYSTEMS PROJECT OFFICE DEPARTMENT OF THE NAVY WASHINGTON, D.C. 20376 01CY ATTN NSP-2141	DEPARTMENT OF ENERGY LIBRARY ROOM G-042 WASHINGTON, D.C. 20545 01CY ATTN DOC CON FOR A. LABOWITZ
CICY ATTN NSSP-2722 FRED WIMBERLY NAVAL SPACE SYSTEM ACTIVITY P. O. BOX 92960 WORLDWAY POSTAL CENTER	EGGG, INC. LOS ALAMOS DIVISION P. D. BOX 809 LOS ALAMOS, NM 85544 OICY ATTN DOC CON FOR J. BPEEDLOVE
LOS ANGELES, CALIF. 90909 31CY ATTN A. B. HAZZARD	UNIVERSITY OF CALIFORNIA LAWRENCE LIVERMORE LABORATORY
HEADQUARTERS ELECTRONIC SYSTEMS DIVISION/DC DEPARTMENT OF THE AIR FORCE HANSCOM AFB, MA 01731 01CY ATTN DCKC MAJ J. C. CLARK	P. O. BOX 808 LIVERMORE, CA 94550 OICY ATTN DOC CON FOR TECH INFO DEPT OICY ATTN DOC CON FOR L-349 R. OTT OICY ATTN DOC CON FOR L-31 R. HAGER OICY ATTN DOC CON FOR L-46 F. SEWARD
	LOS ALAMOS SCIENTIFIC LABORATORY P. O. BOX 1663 LOS ALAMOS, NM 87545 OICY ATTN DOC CON FOR J. WOLCOTT OICY ATTN DOC CON FOR R. F. TASCHEK
COMMANDER FOREIGN TECHNOLOGY DIVISION, AFSC WRIGHT-PATTERSON AFB, OH 45433 DICY ATTN NICD LIBRARY OICY ATTN ETOP B. BALLARD	OICY ATTN DOC CON FOR E. JONES OICY ATTN DOC CON FOR E. JONES OICY ATTN DOC CON FOR J. MALIK OICY ATTN DOC CON FOR R. JEFFRIES OICY ATTN DOC CON FOR J. ZINN OICY ATTN DOC CON FOR P. KEATON OICY ATTN DOC CON FOR D. WESTERVELT
COMMANDER ROME AIR DEVELOPMENT CENTER, AFSC GRIFFISS AFB, NY 13441 OLCY ATIN DOC LIBRARY/TSLD OLCY ATIN DOSE V. COYNE	SANDIA LABORATORIES P. O. BOX 5800 ALBUQUERQUE, NM 87115 DICY ATTN DOC CON FOR J. MARTIN
SAMSO/SZ FOST OFFICE BOX 92960 WORLDWAY POSTAL CENTER LOS ANGELES, CA 90009 (SMACE DEFENSE SYSTEMS) OICY ATTN SZU	01CY ATTN DOC CON FOR W. BROWN 01CY ATTN DOC CON FOR A. THORNBROUGH 01CY ATTN DOC CON FOR T. WRIGHT 01CY ATTN DOC CON FOR D. DAHLGREN 01CY ATTN DOC ON FOR 3141 01CY ATTN DOC CON FOR SPACE PROJECT DIV

SANUTA LABORATORIES SANDIA LABORATORIES LIVERNORE LABORATORY P. O. dox 969 LIVERNORE, CA 94550 OICY ATTN DUC CON FOR B. MURPHEY OICY ATTN DUC CON FOR T. COUR

OFFICE OF MILITARY APPLICATION DEPARTMENT OF ENERGY WASHINGTON, J.C. 20545 01CY ATTN DOC CON FOR J. GALE

OTHER GOVERNMENT

CENTRAL INTELLIGENCE AGENCY ATTN RD/SI, RM 5G48, 4Q BLDG WASHINGTON, D.C. 20505 01CY ATTN OSI/PSID RM 5F 19

DEPARTMENT OF COMMERCE NATIONAL BUREAU OF STANDARDS WASHINGTON, O.C. 20234 (ALL CORRES: ATTN SEC OFFICER FOR) 01CY ATTN R. MOORE

INSTITUTE FÜR TELECOM SCIENCES
NATIONAL TELECOMMUNICATIONS & INFO ADMIN
BOULDER, CO 80303
OICY ATTN A. JEAN (UNCLASS ONLY)
OICY ATTN A. UTLAUT
OICY ATTN D. CROMBIE
OICY ATTN L. BERRY

NATIONAL OCEANIC & ATMOSPHERIC ADMIN ENVIRONMENTAL RESEARCH LABORATORIES DEPARTMENT OF COMMERCE BOULDER, CO 80302 01CY ATTN R. GRUBB 01CY ATTN AERONOMY LAB G. REID

AEROSPACE CORPORATION P. O. BOX 92957 P. O. BOX 92957
LOS ANGELES, CA 90009
OICY ATTN I. GARFUNKEL
OICY ATTN T. SALM!
OICY ATTN T. SOME
OICY ATTN S. BOMER
OICY ATTN N. STOCKWELL
OICY ATTN D. OLSEN
OICY ATTN D. CARTER
JLCY ATTN F. MORSE
OICY ATTN S. FA FOR PWW

ANALYTICAL SYSTEMS ENGINEERING CORP 5 OLD CONCORD ROAD BURLINGTON, MA 01803 01CY ATTN RADIO SCIENCES

BERKELEY RESEARCH ASSOCIATES, INC. P. O. BOX 983
BERKELEY, CA 94701
OICY ATTN J. WORKMAN

BOEING COMPANY, THE P. O. BOX 3707 SEATTLE, WA 98124 OLCY ATTN G. KEISTER OLCY ATTN D. MURRAY OLCY ATTN G. MALL OLCY ATTN J. KENNEY

CALIFORNIA AT SAN DIEGO, UNIV OF IPAPS, 8-019 LA JOLLA, CA 92093 OTCY ATTN HENRY G. BOOKER

SROWN ENGINEERING COMPANY, INC. CUMMINGS RESEARCH PARK HUNTSVILLE, AL 35807 01CY ATTN ROMEO A. DELIBERIS

CHARLES STARK URAPER LABORATORY, INC. 555 TECHNOLOGY SQUARE CAMBRIDGE, MA 02139 01CY ATTN J. B. COX 01CY ATTN J. P. GILMORE

COMPUTER SCIENCES CORPORATION COMPONENT SCIENCES COMPONENT 6565 ARLINGTON BLVD FALLS CHURCH, VA 22046 01CY ATTN H. BLANK 01CY ATTN JOHN SPOOR 01CY ATTN C. NAIL

COMSAT LABORATORIES LINTHICUM ROAD CLARKSBURG, MD 20734 OICY ATTN G. HYDE

CORNELL UNIVERSITY DEPARTMENT OF ELECTRICAL ENGINEERING ITHACA, NY 14850 OICY ATTN D. T. FARLEY JR

ELECTROSPACE SYSTEMS, INC. BQX 1359 RICHARDSON, TX 75080 OICY ATTH H. LOGSTON OICY ATTH SECURITY (PAUL PHILLIPS)

ESL INC. 495 JAVA DRIVE SUNNYVALE, CA 94056 Olcy ATTN J. ROBERTS OLCY ATTN JAMES MARSHALL OLCY ATTN C. W. PRETTIE

FORD AEROSPACE & COMMUNICATIONS CORP 3939 FABIAN WAY
PALO ALTO, CA 94303
OLCY ATTN J. T. MATTINGLEY

GENERAL ELECTRIC COMPANY SPACE DIVISION VALLEY FORGE SPACE CENTER GODDARD BLVD KING OF PRUSSIA P. O. BOX 8555 PHILADELPHIA, PA 19101 OLCY ATTN M. H. BORTNER SPACE SCI LAB

GENERAL ELECTRIC COMPANY P. O. BOX 1122 SYRACUSE, NY 13201 OICY ATTN F. REIBERT

GENERAL ELECTRIC COMPANY
TEMPO-CENTER FOR ADVANCED STUDIES
816 STATE STREET (P.O. DRAWER QQ)
SANTA BARBARA, CA 93102
OICY ATTN DASIAC
OICY ATTN DON CHANDLER
OICY ATTN TOM BARRETT
OICY ATTN TIM STEPHANS
OICY ATTN WILLIAM MCNAMARA
CICY ATTN WILLIAM MCNAMARA
CICY ATTN B. GAMBILL
OICY ATTN MACK STANTON

A Section of the Control of the Cont

JENERAL BLECTRIC TECH SERVICES CO., INC. MMES COURT STREET STRACUSE, NY 13201 DICH ATTN G. MILLYAN

GENERAL RESEARCH CORPORATION SANTA BARBARA DIVISION P. O. BOX 6770 SANTA BARBARA, CA 93111 OICY ATTN JOHN ISE JR UICY ATTN JOEL GARBARINO

GEOPHYSICAL INSTITUTE
UNIVERSITY OF ALASKA
FAIRBANKS, AK 99701

OLCY ATTN T. N. DAVIS (UNCL ONLY)
OLCY ATTN NEAL BROWN (UNCL ONLY)
OLCY ATTN TECHNICAL LIBRARY

GTE SYLVANIA, INC. ELECTRONICS SYSTEMS GRP-EASTERN DIV 77 A STREET NEEDHAM, MA 02194 01CY ATTN MARSHAL CROSS

ILLINOIS, UNIVERSITY OF DEPARTMENT OF ELECTRICAL ENGINEERING URBANA, IL 61803 OILY ATTN K. YEH

ILLINOIS, UNIVERSITY OF
107 COBLE HALL
801 S. WRIGHT STREET
URBANA, IL 60680
(ALL CORRES ATIN SECURITY SUPERVISOR FOR)
01CY ATIN K. YEH

INSTITUTE FOR DEFENSE ANALYSES
400 ARMY-NAVY DRIVE
ARLINGTON, VA 22202
JICY ATTN J. M. AEIN
OICY ATTN ERNEST BAUER
OICY ATTN HANS WOLFHARD
OICY ATTN JOEL BENGSTON

HSS, INC. 2 ALFRED CIRCLE BEDFORD, MA 01730 01CY ATTN DONALD HANSEN

INTL TEL & TELEGRAPH CORPORATION 500 WASHINGTON AVENUE NUTLEY, NJ 07110 01CY ATTN TECHNICAL LIBRARY

JAYCOR 1401 CAMINO DEL MAR DEL MAR, CA 92014 01CY ATTN S. R. GOLDMAN

JOHNS HOPKINS UNIVERSITY
APPLIED PHYSICS LABORATORY
JOHNS HOPKINS ROAD
LAUREL, MD 20810
OICY ATTN DOCUMENT LIBRARIAN
OICY ATTN THOMAS POTEMRA
OICY ATTN JOHN DASSOULAS

LOCKHEED MISSILES & SPACE CO INC P. O. BOX 504 SUNNYVALE, CA 94088 BICY ATTN DEPT 60-12 DICY ATTN D. R. CHURCHILL

LOCKHEED MISSILES AND SPACE CO INC
3251 HANOVER STREET
PALO ALTO, CA 94504
OICY ATTN MARTIN WALT DEPT 52-10
OICY ATTN RICHARD G. JOHNSON DEPT 52-12
OICY ATTN W. L. IMHOF DEPT 52-12

KAMAN SCIENCES CORP P. O. BOX 7463 COLORADO SPRINGS, CO. 80933 DICY ATTN T. MEAGHER

LINKABIT CORP 10453 ROSELLE SAN DIEGO, CA 92121 01CY ATTN IRAIN JACOBS

M.I.T. LINCOLN LABORATORY
P. O. BOX 73
P. O. BOX 73
LEXINGTON, MA 102173
DICY ATTA P. MACLARO
DICY ATTA P. MACLARO
OLOY ATTA L. COUGHLIN
DICK ATTA C. CLARK

MARTIN MARIETTA CORP ORLANDO DIVISION P. O. BOX 5837 ORLANDO, FL 32805 OICY ATTN R. MEFFNER

MCDONNELL DOUGLAS CORPORATION
5301 BOLSA AVENUE
MUNTINGTON BEACH, CA 92547
JICY ATTN N. MARRIS
OICY ATTN J. MOULE
DICY ATTN J. MOULE
OICY ATTN W. DUSON
OICY ATTN R. M. MALPRIN
OICY ATTN R. M. MALPRIN
OICY ATTN TEUMNICAL LIBRARY SERVICES

MISSION RESEARCH CORPORATION
735 STATE STRET
SANTA BARBARA, CA 93101
01CY ATTN P. FISCHER
01CY ATTN W. F. CREVIER
01CY ATTN STEVEN L. GUTSCHE
01CY ATTN TSEVEN L. GUTSCHE
01CY ATTN R. BOGUSCH
01CY ATTN R. HENDRIOK
01CY ATTN R. HENDRIOK
01CY ATTN RALPH KILB
01CY ATTN DAVE SOMLE
01CY ATTN DAVE SOMLE
01CY ATTN MERGEN A. SCHUETER
01CY ATTN CONRAD L. LONGMIRE
01CY ATTN WARREN A. SCHUETER

MITRE CORPORATION, THE
P. O. BOX 208
BEDFORD, MA 01730
01CY ATTN JOHN MORGANSTERN
01CY ATTN G. HARDING
01CY ATTN C. E. CALLAHAN

MITRE CORP
WESTGATE RESEARCH PARK
1820 DOLLY MADISON BLVD
MCLEAN, VA 22101
01CY ATTN W. HALL
01CY ATTN W. FOSTER

PACIFIC-SIERRA RESEARCH CORP 1456 CLOVERFIELD BLVD. SANTA MONICA, CA 90404 01CY ATTN E. C. FIELD JR

PENNSYLVANIA STATE UNIVERSITY
IONOSPHERE RESEARCH LAB
318 ELECTRICAL ENGINEERING EAST
UNIVERSITY PARK, PA 16802
(NO CLASSIFIED TO THIS ADDRESS)
01CY ATTN IONOSPHERIC RESEARCH LAB

PHOTOMETRICS, INC. 442 MARRETT ROAD LEXINGTON, MA 02173 01CY ATTN IRVING L. KOFSKY

PHYSICAL DYNAMICS INC. P. O. BOX 3027 BELLEVUE, WA 98009 UICY ATTN E. J. FREMOUW

PHYSICAL DYNAMICS INC. P. J. BOX 1069 BERKELEY, CA 94701 DICY ATTN A. THOMPSON

R & D ASSOCIATES
P. O. 80X 9695

MARINA DEL REY, CA 90291

01CY ATTN FORREST GILMORE

01CY ATTN BRYAN GABBARD

01CY ATTN WILLIAM B. WRIGHT JR

01CY ATTN WILLIAM J. KARZAS

01CY ATTN H. ORY

01CY ATTN C. MACDONALD

01CY ATTN R. TURCO

RAND CORPORATION, THE 1700 MAIN STAEET SANTA MONICA, CA 90406 01CY ATTN CULLEN CRAIN 01CY ATTN ED BEDROZIAN

RIVERSIDE RESEARCH INSTITUTE 80 WEST END AVENUE NEW YORK, NY 10023 01CY ATTN VINCE TRAPANI

SCIENCE APPLICATIONS, INC.
P. O. BOX 2351
LA JOLLA, CA 92038
OICY ATTN LEWIS M. LINSON
OICY ATTN DANIEL A. HAMLIN
OICY ATTN D. SACHS
OICY ATTN E. A. STRAKER
OICY ATTN CURTIS A. SMITH
OICY ATTN JACK MCDOUGALL

RAYTHEON CO. 528 BOSTON POST ROAD SUDBURY, MA 01776 01CY ATTN BARBARA ADAMS

SCIENCE APPLICATIONS, INC. MUNTSVILLE DIVISION 2109 W. CLINTON AVENUE SUITE 700 MUNTSVILLE, AL. 35805 01CY ATTN DALE H. DIVIS SCIENCE APPLICATIONS, INCORPORATED 8400 WESTPARK DRIVE MCLEAN, VA 22101 01CY ATTN J. COCKAYNE

SCIENCE APPLICATIONS, INC. 80 MISSION DRIVE PLEASANTON, CA 94566 01CY ATTN SZ

SRI INTERNATIONAL
333 RAVENG-BOOD AVENUE
MENLO PARK, CA 94025
01CY ATTN JONALD NEILSON
01CY ATTN G. SMITH
01CY ATTN L. L. COBB
01CY ATTN L. L. COBB
01CY ATTN DAVID A. JOHNSON
01CY ATTN CHARLES L. RIND
01CY ATTN CHARLES L. RIND
01CY ATTN MALTER JAYE
01CY ATTN M. BARON
01CY ATTN RAY L. LEADABRAND
01CY ATTN G. CARPENTER
01CY ATTN J. PETERSON
01CY ATTN J. PETERSON
01CY ATTN R. HAKE, JR.
01CY ATTN R. HAKE, JR.
01CY ATTN D. MCDANIEL

TECHNOLOGY INTERNATIONAL CORP 75 WIGGINS AVENUE BEDFORD, MA 01730 01CY ATTN W. P. BOQUIST

TRW DEFENSE & SPACE SYS GROUP ONE SPACE PARK REDONDO BEACH, CA 90278 01CY ATTN R. K. PLEBUCH 01CY ATTN S. ALTSCHULER 01CY ATTN D. DEE

VISIDYNE, INC.
19 THIRD AVENUE
NORTH WEST INDUSTRIAL PARK
BURLINGTON, MA 01803
01CY ATTN CHARLES HUMPHREY
01CY ATTN J. W. CAMPENTER

The state of the s

IONOSPHERIC MODELING DISTRIBUTION LIST UNCLASSIFIED ONLY

PLEASE DISTRIBUTE ONE COPY TO EACH OF THE FOLLOWING PEOPLE:

ADVANCED RESEARCH PROJECTS AGENCY (ARPA) STRATEGIC TECHNOLOGY OFFICE ARLINGTON, VIRGINIA

CAPT. DONALD M. LEVINE

NAVAL RESEARCH LABORATORY WASHINGTON, D.C. 20375

DR. P. MANGE DR. R. MEIER DR. E. SZUSZCZEWICZ - CODE 7127

DR. J. GOODMAN - CODE 7560

SCIENCE APPLICATIONS, INC. 1250 PROSPECT PLAZA LA JOLLA, CALIFORNIA 92037

DR. D. A. HAMLIN OR. L. LINSON DR. D. SACHS

DIRECTOR OF SPACE AND ENVIRONMENTAL LABORATORY NOAA BOULDER, COLORADO 80302

DR. A. GLENN JEAN

DR. A. GLENN JEAN DR. G. W. ADAMS DR. D. N. ANDERSON DR. K. DAVIES DR. R. F. DONNELLY

A. F. GEOPHYSICS LABORATORY L. G. MANSOM FIELD BEOFORD, MASS. 01730

DR. T. EUKINS

DR. W. SWIDER
MRS. R. SAGALYN
DR. J. M. FORBES
DR. T. J. KENESHEA
DR. J. AARONS

OFFICE OF NAVAL RESEARCH 800 NORTH QUINCY STREET ARLINGTON, VIRGINIA 22217

DR. M. MULLANEY

COMMANDER NAVAL ELECTRONICS LABORATORY CENTER SAN DIEGO, CALIFORNIA 92152

DR. M. BLEIWEISS DR. I. ROTHMULLER DR. V. HILDEBRAND MR. R. ROSE

U. S. ARMY ABERDEEN RESEARCH AND DEVELOPMENT CENTER BALLISTIC RESEARCH LABORATORY ABERDEEN, MARYLAND

DR. J. HEIMERL

COMMANDER NAVAL AIR SYSTEMS COMMAND DEPARTMENT OF THE NAVY WASHINGTON, D.C. 20360

DR. T. CZUBA

HARVARD UNIVERSITY HARVARD SQUARE CAMBRIDGE, MASS. 02138

DR. M. B. MCELROY DR. R. LINDZEN

PENNSYLVANIA STATE UNIVERSITY UNIVERSITY PARK, PENNSYLVANIA 16802

DR. J. S. NISBET
DR. P. R. ROHRBAUGH
DR. D. E. BARAN
DR. L. A. CARPENTER
DR. M. LEE
DR. R. DIVANY
DR. P. BENNETT
DR. E. KLEVANS

UNIVERSITY OF CALIFORNIA, LOS ANGELES 405 HILLGARD AVENUE LOS ANGELES, CALIFORNIA 90024

OR. F. V. CORONITI DR. C. KENNEL

UNIVERSITY OF CALIFORNIA, BERKELEY BERKELEY, CALIFORNIA 94720

DR. M. HUDSON

UTAH STATE UNIVERSITY LOGAN, UTAH 84322

DR. P. M. BANKS DR. R. HARRIS DR. V. PETERSON DR. R. MEGILL DR. K. BAKER

CORNELL UNIVERSITY ITHACA, NEW YORK 14850

OR. W. E. SWARTZ DR. R. SUDAN DR. D. FARLEY DR. M. KELLEY

NASA GODDARD SPACE FLIGHT CENTER GREENBELT, MARYLAND 20771

DR. S. CHANDRA DR. K. MAEDO

PRINCETON UNIVERSITY PLASMA PHYSICS LABORATORY PRINCETON, NEW JERSEY 08540

DR. F. PERKINS DR. E. FRIEMAN

INSTITUTE FOR DEFENSE ANALYSIS 400 ARMY/NAVY DRIVE ARLINGTON, VIRGINIA 22202

DR. E. BAUER

UNIVERSITY OF PITTSBURGH PITTSBURGH, PA. 15213

DR. N. ZABUSKY DR. M. BIONDI

- 17. -- 25.